Author Index

ABNEY, E. *see* CHU, C.Q.
ABUAF, N. *see* BARAKAT, S.
ADU, D. *see* GORDON, C.
AGNIHOTRI, M. *see* KHANNA, N.
AHLFORS, E. & CZERKINSEY, C. Contact sensitivity in the murine oral mucosa.I. An experimental model of delayed-type hypersensitivity reactions at mucosal surfaces, 449
ALBERT, E. *see* FEUCHT, H.E.
ALLARD, S. *see* CHU, C.Q.
ALLEN, G.S. *see* NEUMANN, D.A.
ANAND, C. *see* TANEJA, V.
ANDREANI, D. *see* CAVALLO, M.G.
AOTSUKA, S. *see* GOTO, M.
ARIA, K.T. NOURI, LOMBARD, M. & WILLIAMS, R. High serum levels of CD8 antigen in primary biliary cirrhosis: a possible cause of suppressor cell dysfunction?, 140
ARIGA, T., YOSHIDA, T., MIMORI, T. & YU, R.K. Autoantibodies against Forssman glycolipids in Graves' disease and Hashimoto's thyroiditis, 483
ATANASSOV, C., BRIAND, J.-P., BONNIER, D., VAN REGENMORTEL, M.H.V. & MULLER, S. New Zealand white rabbits immunized with RNA-complexed total histones develop an autoimmune-like response, 124
AULITZKY, W. *see* AULITZKY, W.E.
AULITZKY, W.E., GROSSE-WILDE, H., WESTHOFF, U., TILG, H., AULITZKY, W., GASTL, G., HEROLD, M. & HUBER, C. Enhanced serum levels of soluble HLA class I molecules are induced by treatment with recombinant interferon-gamma (IFN-γ), 236

BACH, J.-F. *see* FERRAN, C.
BAKKE, A.C. *see* BENNETT, R.M.
BAKKER, N.P.M., VAN ERCK, M.G.M., HART, L.A. 'T. & JONKER, M. Acquired resistance to type II collagen-induced arthritis in rhesus monkeys is reflected by a T cell low-responsiveness to the antigen, 219
BANGA, J.P. *see* COLLISON, K.S.
BANYER, J.L. *see* JAZWINSKA, E.C.
BARAKAT, S., BRIAND, J.P., ABUAF, N., VAN REGENMORTEL, M.H.V. & MULLER, S. Mapping of epitopes on U1 snRNP polypeptide A with synthetic peptides and autoimmune sera, 71
BARBOSA, I.L., GANT, V.A. & HAMBLIN, A.S. Alveolar macrophages from patients with bronchogenic carcinoma and sarcoidosis similarly express monocyte antigens, 173
BARBOSA, I.L. *see* GANT, V.A.
BARNES, P.J. *see* SHOCK, A.
BARNETT, P.S. *see* COLLISON, K.S.
BARRETT, T.B. *see* FLOEGE, J.
BATSFORD, S.R., MIHATSCH, M.J., RAWIEL, M., SCHMIEDEKE, T.M. & VOGT, A. Surface charge distribution is a determinant of antigen deposition in the renal glomerulus: studies employing 'charge-hybrid' molecules, 471
BEATTY, D.W. *see* MEYER, M.P.
BECK, J.S. *see* BOTHAMLEY, G.
BEISEL, K.W. *see* TRAYSTMAN, M.D.
BEISEL, K.W., SRINIVASAPPA, J. & PRABHAKAR, B.S. Identification of a putative shared epitope between Coxsackie virus B4 and alpha cardiac myosin heavy chain, 49
BELLON, B. *see* DUBEY, C.
BENNETT, R.M., CORNELL, K.A., MERRITT, M.J., BAKKE, A.C., HSU, P.H. & HEFENEIDER, S.H. Autoimmunity to a 28–30 kD cell membrane DNA binding protein: occurrence in selected sera from patients with SLE and mixed connective tissue disease (MCTD), 374
BERTOLINI, D.R. *see* STRASSMANN, G.
BEVERLEY, P.C.L. *see* PAN, L.
BIRD, C. *see* CAVALLO, M.G.
BLACKHAM, A. & GRIFFITHS, R.J. The effect of FK506 and cyclosporin A on antigen-induced arthritis, 224
BLANCO, F., KALSI, J. & ISENBERG, D.A. Analysis of antibodies to RNA in patients with systemic lupus erythematosus and other autoimmune rheumatic diseases, 66
BLASER, K. *see* HANSEL, T.T.
BLOKLAND, E. *see* VAN ROOD, Y.
BLUESTONE, J. *see* FERRAN, C.
BOGERS, W.M.J.M., STAD, R.-K., JANSSEN, D.J., VAN ROOIJEN, N., VAN ES, L.A. & DAHA, M.R. Kupffer cell depletion *in vivo* results in preferential elimination of IgG aggregates and immune complexes via specific Fc receptors on rat liver endothelial cells, 328
BONNIER, D. *see* ATANASSOV, C.
BOSWARVA, V. *see* HOHMANN, A.
BOTHAMLEY, G., BECK, J.S., BRITTON, W., ELSAGHIER, A. & IVANYI, J. Antibodies to *Mycobacterium tuberculosis*-specific epitopes in lepromatous leprosy, 426
BOWNESS, P. *see* LUNARDI, C.
BRADLEY, J. *see* HOHMANN, A.
BRANDON, M.R. *see* WALKER, J.
BRANDTZAEG, P. *see* THRANE, P.S.
BRANELLEC, A.I. *see* HESLAN, J.-M.J.
BRÄUER, J. *see* SCHAUER, U.
BRAUNSTEIN, J.B. *see* HANSEL, T.T.
BREIT, S.N. *see* THORNTON, S.C.
BRIAND, J.-P. *see* ATANASSOV, C.
BRIAND, J.P. *see* BARAKAT, S.
BRITTON, W. *see* BOTHAMLEY, G.
BROCKMEYER, C. *see* FEUCHT, H.E.
BROWN, B. *see* LING, N.R.
BRUIJNZEEL, P.L.B. *see* HANSEL, T.T.
BURKART, V. *see* KANTWERK-FUNKE, G.

CANDELA, M. *see* GABRIELLI, A.
CANIGLIA, M.L. *see* GABRIELLI, A.
CARROLL, S.F. *see* FISHWILD, D.M.
CASTILLO, M.B. *see* RONDINONE, C.M.
CAVALLO, M.G., POZZILLI, P., BIRD, C., WADHWA, M., MEAGER, A., VISALLI, N., GEARING, A.J.H., ANDREANI, D. & THORPE, R. Cytokines in sera from insulin-dependent diabetic patients at diagnosis, 256
CAWLEY, M.I.D. *see* HOWELL, W.M.
CHAMBERS, R.C. *see* SHOCK, A.
CHAN, W.L. *see* O'DONNELL, C.A.
CHATENOUD, L. *see* FERRAN, C.
CHATURVEDI, U.C. *see* KHANNA, N.
CHENG, I.K.P. *see* JONES, B.M.
CHU, C.Q., FIELD, M., ABNEY, E., ZHENG, R.Q.H., ALLARD, S., FELDMANN, M. & MAINI, R.N. Transforming growth factor-β1 in rhematoid synovial membrane and cartilage/pannus junction, 380
CHUNG, K.F. *see* SHOCK, A.
CLARK, I. *see* WHEELER, H.R.
COHEN, S. *see* SALVADORI, S.
COLE, J.C. *see* SCOTT, C.S.
COLLISON, K.S., BANGA, J.P., BARNETT, P.S., HUANG, G.C. & MCGREGOR, A.M. Autoantibody stimulation of the human thyrotropin receptor: regulation of adenylate cyclase activity, thyroglobulin and thyroid peroxidase mRNA levels in primary cultures of Graves' thyroid tissue, 61
COMACCHIO, R. *see* HOHMANN, A.
COOK, N.J. *see* HOWELL, W.M.
CORNELL, K.A. *see* BENNETT, R.M.
CUNNINGHAM, T.J. *see* SAVIGE, J.A.
CZERKINSEY, C. *see* AHLFORS, E.
DAFA'ALLA, T. *see* ELKHALIFA, M.Y.
DAHA, M.R. *see* BOGERS, W.M.J.M.
DAMEN, W.G. M. *see* SLOBBE, R.L.
DAS, B.K. *see* MITRA, S.
DAS, P.K. *see* MITRA, S.
DAS, R.K. *see* MITRA, S.
DAVIES, B.H. *see* REYNOLDS, S.P.
DAVIES, D. *see* SAVIGE, J.A.
DE BRUYN, J. *see* LAUNOIS, P.

DENT, G. *see* SHOCK, A.
DERRY, C.H., DUNN, M.J., REES, A.J. & PUSEY, C.D. Restricted specificity of the autoantibody response in Goodpasture's syndrome demonstrated by two-dimensional Western blotting, 457
DIETRICH, G. *see* KAVERI, S.-V.
DIOUF, B. *see* LAUNOIS, P.
DIPPEL, E. *see* SCHAUER, U.
DOCKRELL, H.M. *see* MABEY, D.C.W.
DRUET, P. *see* DUBEY, C.
DUBEY, C., BELLON, B., HIRSCH, F., KUHN, J., VIAL, M.C., GOLDMAN, M. & DRUET, P. Increased expression of class II major histocompatibility complex molecules on B cells in rats susceptible or resistant to $HgCl_2$-induced autoimmunity, 118
DUNN, M.J. *see* DERRY, C.H.
DY, M. *see* FERRAN, C.

EDWARDS, J.H. *see* REYNOLDS, S.P.
EIDELMAN, O. *see* STRASSMANN, G.
ELKHALIFA, M.Y., GHALIB, H.W., DAFA'ALLA, T. & WILLIAMS, J.F. Suppression of human lymphocyte responses to specific and non-specific stimuli in human onchocerciasis, 433
ELSAGHIER, A. *see* BOTHAMLEY, G.
EMERY, P. *see* GORDON, C.
ESTREICH, S. *see* MABEY, D.C.W.
ETO, S. *see* SAITO, K.

FACER, C.A. *see* ORAGO, A.S.S.
FARRANT, J. *see* NORTH, M.E.
FELBER, E. *see* FEUCHT, H.E.
FELDMANN, M. *see* CHU, C.Q.
FERRAN, C., DY, M., SHEEHAN, K., MERITE, S., SCHREIBER, R., LANDAIS, P., GRAU, G., BLUESTONE, J., BACH, J.-F. & CHATENOUD, L. Intermouse strain differences in the *in vivo* anti-CD3 induced cytokine release, 537
FEUCHT, H.E., FELBER, E., GOKEL, M.J., HILLEBRAND, G., NATTERMANN, U., BROCKMEYER, C., HELD, E., RIETHMÜLLER, G., LAND, W. & ALBERT, E. Vascular deposition of complement-split products in kidney allografts with cell-mediated rejection, 464
FIELD, M. *see* CHU, C.Q.
FISHWILD, D.M., STASKAWICZ, M.O., WU, H.-M. & CARROLL, S.F. Cytotoxicity against human peripheral blood mononuclear cells and T cell lines mediated by anti-T cell immunotoxins in the absence of added potentiator, 506
FLOEGE, J., TOPLEY, N., HOPPE, J., BARRETT, T.B. & RESCH, K. Mitogenic effect of platelet-derived growth factor in human glomerular mesangial cells: modulation and/or suppression by inflammatory cytokines, 334
FREEMAN, M. *see* TANDON, N.
FUKUROI, T. *see* NOMURA, S.
FURUKAWA, S., MATSUBARA, T., TSUJI, K., MOTOHASHI, T., OKUMURA, K. & YABUTA, K. Serum soluble CD4 and CD8 levels in Kawasaki disease, 134

GABRIELLI, A., CANDELA, M., RICCIATTI, A.M., CANIGLIA, M.L. & WIESLANDER, J. Antibodies to mouse laminin in patients with systemic sclerosis (scleroderma) recognize galactosyl (α1–3)-galactose epitopes, 367
GALLICCHIO, M.C. *see* SAVIGE, J.A.
GANT, V.A. *see* BARBOSA, I.L.
GANT, V.A., SHAKOOR, Z., BARBOSA, I.L. & HAMBLIN, A.S. Normal and sarcoid alveolar macrophages differ in their ability to present antigen and to cluster with autologous lymphocytes, 494
GASTL, G. *see* AULITZKY, W.E.
GATENBY, P.A. *see* JAZWINSKA, E.C.
GEARING, A.J.H. *see* CAVALLO, M.G.
GECZY, C.L. *see* WHEELER, H.R.
GEORGIOU, T. *see* SAVIGE, J.A.
GERSTNER, C.G. *see* ROTH, A.D.
GHALIB, H.W. *see* ELKHALIFA, M.Y.
GIELER, U. *see* SCHAUER, U.
GOEDEN, B. *see* REINHOLD, U.
GOH, B.T. *see* MABEY, D.C.W.
GOKEL, M.J. *see* FEUCHT, H.E.
GOLDMAN, M. *see* DUBEY, C.
GOOI, H.C. *see* SCOTT, C.S.
GORDON, C., RICHARDS, N., HOWIE, A.J., RICHARDSON, K., MICHAEL, J., ADU, D. & EMERY, P. Urinary IL-6: a marker for mesangial proliferative glomerulonephritis?, 145
GORDON, J. CD23: novel disease marker with a split personality, 356
GOTO, M., OKAMOTO, M., SASANO, M., NISHIZAWA, K., AOTSUKA, S., YAMAGUCHI, N., OBINATA, M. & IKEDA, K. Functional characterization of SV40-transformed adherent synovial cells from rheumatoid arthritis, 387
GOULMY, E. *see* VAN ROOD, Y.
GRANFORS, K. *see* LAHESMAA, R.
GRAU, G. *see* FERRAN, C.
GRAY, A.J. *see* SHOCK, A.
GRIFFITHS, R.J. *see* BLACKHAM, A.
GRIMAUD, J. *see* LAUNOIS, P.
GROSSE-WILDE, H. *see* AULITZKY, W.E.

HAMBLIN, A.S. *see* BARBOSA, I.L.
HAMBLIN, A.S. *see* GANT, V.A.
HANSEL, T.T., BRAUNSTEIN, J.B., WALKER, C., BLASER, K., BRUIJNZEEL, P.L.B., VIRCHOW, J.-C., JR. & VIRCHOW, C., SR. Sputum eosinophils from asthmatics express ICAM-1 and HLA-DR, 271
HARGREAVE, T. *see* KELLY, R.W.
HARRISON, C. *see* KELLY, R.W.
HART, L.A. 'T. *see* BAKKER, N.P.M.
HARTSKEERL, R.A. *see* VERBON, A.
HEFENEIDER, S.H. *see* BENNETT, R.M.
HELD, E. *see* FEUCHT, H.E.
HENRY, M., ZANELLI, E. & MALTHIERY, Y. Anti-human thyroid peroxidase and anti-human thyroglobulin antibodies present no cross-reactivity on recombinant peptides, 478
HEROLD, M. *see* AULITZKY, W.E.
HERSKOWITZ, A. *see* NEUMANN, D.A.
HESLAN, J.-M.J., BRANELLEC, A.I., PILATTE, Y., LANG, P. & LAGRUE, G. Differentiation between vascular permeability factor and IL-2 in lymphocyte supernatants from patients with minimal-change nephrotic syndrome, 157
HEWLETT, G. *see* STÜNKEL, K.G.E.
HEYMANNS, J. *see* SCHAUER, U.
HILLEBRAND, G. *see* FEUCHT, H.E.
HIROSE, S., OGASAWARA, K., NATORI, T., SASAMOTO, Y., OHNO, S., MATSUDA, H. & ONOE, K. Regulation of experimental autoimmune uveitis in rats—separation of MHC and non-MHC gene effects, 419
HIRSCH, F. *see* DUBEY, C.
HOHMANN, A., COMACCHIO, R., BOSWARVA, V., SUTJITA, M. & BRADLEY, J. The H3 anti-phospholipid idiotype is found in patients with systemic lupus erythematosus (SLE) but not in patients with syphilis, 207
HOLLAND, M.J. *see* MABEY, D.C.W.
HOLLAND, P. *see* KELLY, R.W.
HOOTON, J.W.L., PABST, H.F., SPADY, D.W. & PAETKAU, V. Human colostrum contains an activity that inhibits the production of IL-2, 520
HOPPE, J. *see* FLOEGE, J.
HORNICEK, F.J. *see* ROTH, A.D.
HOWELL, W.M., WARREN, C.J., COOK, N.J., CAWLEY, M.I.D. & SMITH, J.L. Detection of IL-2 at mRNA and protein levels in synovial infiltrates from inflammatory arthropathies using biotinylated oligonucleotide probes *in situ*, 393
HOWIE, A.J. *see* GORDON, C.
HSU, P.H. *see* BENNETT, R.M.
HUANG, G.C. *see* COLLISON, K.S.
HUBER, C. *see* AULITZKY, W.E.
HUREZ, V. *see* KAVERI, S.-V.
HUYGEN, K. *see* LAUNOIS, P.

ICHIKAWA, T., TAGUCHI, O., TAKAHASHI, T., IKEDA, H., TAKEUCHI, M., TANAKA, T., USUI, M. & NISHIZUKA, Y. Spontaneous development of autoimmune uveoretinitis in nude mice following reconstitution with embryonic rat thymus, 112
IKEDA, H. *see* ICHIKAWA, T.
IKEDA, K. *see* GOTO, M.
IMURA, H. *see* IWAI, K.
ISAACSON, P.G. *see* PAN, L.

ISENBERG, D.A. *see* BLANCO, F.
IVANYI, J. *see* BOTHAMLEY, G.
IWAI, K., TSUBATA, T., KATSURA, Y., KUMAGAI, S. & IMURA, H. Qualitative difference of anti-DNA antibody-producing cell precursors in the pre-immune B cell repertoire between normal and lupus-prone mice, 106
IWATA, K. *see* NOMURA, S.

JACKSON, H. *see* WALKER, J.
JAMES, K. *see* KELLY, R.W.
JANSSEN, D.J. *see* BOGERS, W.M.J.M.
JAZWINSKA, E.C., BANYER, J.L., GATENBY, P.A. & SERJEANTSON, S.W. FcγRIIα: Sequencing of the ligand binding domain in systemic lupus erythematosus patients, 199
JONES, B.M., CHENG, I.K.P. & WONG, R.W.S. Aberrant T-regulation in rheumatoid arthritis and IgA nephropathy affects $CD5^+$ and $CD5^-$ B lymphocytes equally, 212
JONES, K.P. *see* REYNOLDS, S.P.
JONKER, M. *see* BAKKER, N.P.M.
JUNG, T. *see* SCHAUER, U.

KALSI, J. *see* BLANCO, F.
KANTWERK-FUNKE, G., BURKART, V. & KOLB, H. Low dose streptozotocin causes stimulation of the immune system and of anti-islet cytotoxicity in mice, 266
KATSURA, Y. *see* IWAI, K.
KAVERI, S.-V., DIETRICH, G., HUREZ, V. & KAZATCHKINE, M.D. Intravenous immunoglobulins (IVIg) in the treatment of autoimmune diseases, 192
KAWAKATSU, T. *see* NOMURA, S.
KAZATCHKINE, M.D. *see* KAVERI, S.-V.
KELLY, R.W., HOLLAND, P., SKIBINSKI, G., HARRISON, C., MCMILLAN, L., HARGREAVE, T. & JAMES, K. Extracellular organelles (prostasomes) are immunosuppressive components of human semen, 550
KHANNA, N., AGNIHOTRI, M., MATHUR, A. & CHATURVEDI, U.C. Neutrophil chemotactic factor produced by Japanese encephalitis virus stimulated macrophages, 299
KIDO, H. *see* NOMURA, S.
KIRKWOOD, J.M. *see* ROTH, A.D.
KOKAWA, T. *see* NOMURA, S.
KOLB, H. *see* KANTWERK-FUNKE, G.
KOLK, A.H.J. *see* VERBON, A.
KREYSEL, H.W. *see* REINHOLD, U.
KUHN, J. *see* DUBEY, C.
KUKEL, S. *see* REINHOLD, U.
KUMAGAI, S. *see* IWAI, K.

LAFOND-WALKER, A. *see* NEUMANN, D.A.
LAGRUE, C. *see* HESLAN, J.-M.J.
LAHESMAA, R., SKURNIK, M., VAARA, M., LEIRISALO-REPO, M., NISSILÄ, M., GRANFORS, K. & TOIVANEN, P. Molecular mimickry between HLA B27 and *Yersinia*, *Salmonella*, *Shigella*, and *Klebsiella* within the same region of HLA α1-helix, 399
LAND, W. *see* FEUCHT, H.E.
LANDAIS, P. *see* FERRAN, C.
LANE, J.R. *see* NEUMANN, D.A.
LANG, P. *see* HESLAN, J.-M.J.
LAUNOIS, P., HUYGEN, K., DE BRUYN, J., N'DIAYE, M., DIOUF, B., SARTHOU, L., GRIMAUD, J. & MILLAN, J. T cell response to purified filtrate antigen 85 from *Mycobacterium bovis* Bacilli Calmette–Guérin (BCG) in leprosy patients, 286
LAURENT, G.J. *see* SHOCK, A.
LEIRISALO-REPO, M. *see* LAHESMAA, R.
LING, N.R., STEVENSON, F.K. & BROWN, B. Urinary excretion of CD23 antigen in normal individuals and patients with chronic lymphocytic leukaemia (CLL), 360
LIU, Y.-C. *see* MCCARTHY, D.A.
LOMBARD, M. *see* ARIA, K.T. NOURI
LUNARDI, C., MARGUERIE, C., BOWNESS, P., WALPORT, M.J. & SO, A.K. Reduction in Tγδ cell numbers and alteration in subset distribution in systemic lupus erythematosus, 203

MABEY, D.C.W., HOLLAND, M.J., VISWALINGAM, N.D., GOH, B.T., ESTREICH, S., MACFARLANE, A., DOCKRELL, H.M. & TREHARNE, J.D. Lymphocyte proliferative responses to chlamydial antigens in human chlamydial eye infections, 37
MACFARLANE, A. *see* MABEY, D.C.W.
MAGNUSSON, C.G. M. *see* PREESMAN, A.H.
MAINI, R.N. *see* CHU, C.Q.
MALAVIYA, A.N. *see* TANEJA, V.
MALTHIERY, Y. *see* HENRY, M.
MARGUERIE, C. *see* LUNARDI, C.
MARLISS, E.B. *see* WU, G.
MASUDA, T. *see* SEINO, H.
MATHUR, A. *see* KHANNA, N.
MATSUBARA, T. *see* FURUKAWA, S.
MATSUDA, H. *see* HIROSE, S.
MCCARTHY, D.A., RAMPTON, D.S. & LIU, Y.-C. Peripheral blood neutrophils in inflammatory bowel disease: morphological evidence of *in vivo* activation in active disease, 489
MCGREGOR, A.M. *see* COLLISON, K.S.
MCMILLAN, L. *see* KELLY, R.W.
MEAGER, A. *see* CAVALLO, M.G.
MEEUSEN, E. *see* WALKER, J.
MEHRA, N.K. *see* TANEJA, V.
MERITE, S. *see* FERRAN, C.
MERRITT, M.J. *see* BENNETT, R.M.
MEYER, M.P. & BEATTY, D.W. IgM rheumatoid factor in congenital syphilis: associations with clinical and laboratory findings, 43
MICHAEL, J. *see* GORDON, C.
MIHATSCH, M.J. *see* BATSFORD, S.R.
MILLAN, J. *see* LAUNOIS, P.
MIMORI, T. *see* ARIGA, T.
MITRA, S., RAVINDRAN, B., DAS, B.K., DAS, R.K., DAS, P.K. & RATH, R.N. Human cerebral malaria: characterization of malarial antibodies in cerebrospinal fluid, 19
MOTOHASHI, T. *see* FURUKAWA, S.
MULLER, S. *see* ATANASSOV, C.
MULLER, S. *see* BARAKAT, S.

NAGATA, H. *see* NOMURA, S.
NATORI, T. *see* HIROSE, S.
NATTERMANN, U. *see* FEUCHT, H.E.
N'DIAYE, M. *see* LAUNOIS, P.
NEUMANN, D.A., LANE, J.R., LAFOND-WALKER, A., ALLEN, G.S., WULFF, S.M., HERSKOWITZ, A. & ROSE, N.R. Heart-specific autoantibodies can be eluted from the hearts of Coxsackievirus B3-infected mice, 405
NEUMANN, U. *see* REINHOLD, U.
NISHIZAWA, K. *see* GOTO, M.
NISHIZUKA, M. *see* ICHIKAWA, T.
NISSILÄ, M. *see* LAHESMAA, R.
NOBUNAGA, T. *see* SEINO, H.
NOMURA, S., YAMAGUCHI, K., KIDO, H., KAWAKATSU, T., IWATA, K., FUKUROI, T., SUZUKI, M., YANABU, M., SOGA, T., NAGATA, H., KOKAWA, T. & YASUNAGA, K. New monoclonal anti-human Fc gamma receptor II antibodies induced platelet aggregation, 179
NORLING, B. *see* WESTERMARK, G.T.
NORTH, M.E., SPICKETT, G.P., WEBSTER, A.D.B. & FARRANT, J. Raised serum levels of CD8, CD25 and β_2-microglobulin in common variable immunodeficiency, 252

OBINATA, M. *see* GOTO, M.
O'DONNELL, C.A. & CHAN, W.L. A comparison of T cell responses to glycoprotein B (gB-1) of herpes simplex virus type 1 and its non-glycosylated precursor protein, pgB-1, 30
OGASAWARA, K. *see* HIROSE, S.
OHNO, S. *see* HIROSE, S.
OKAMOTO, M. *see* GOTO, M.
OKUMURA, K. *see* FURUKAWA, S.
ONOE, K. *see* HIROSE, S.
ORAGO, A.S.S. & FACER, C.A. Cytotoxicity of human natural killer (NK) cell subsets for *Plasmodium falciparum* erythrocytic schizonts: stimulation by cytokines and inhibition by neomycin, 22
OSAKI, T. *see* YONEDA, K.
OTA, T. *see* SAITO, K.

PABST, H.F. *see* HOOTON, J.W.L.

PAETKAU, V. *see* HOOTON, J.W.L.
PAN, L., BEVERLEY, P.C.L. & ISAACSON, P.G. Lactate dehydrogenase (LDH) isoenzymes and proliferative activity of lymphoid cells—an immunocytochemical study, 240
PENNY, R. *see* THORNTON, S.C.
PERDIGÓN, G. *see* VALDEZ, J.C.
PILATTE, Y. *see* HESLAN, J.-M.J.
PIZZIMENTI, A. *see* SALVADORI, S.
POOL, J. *see* VAN ROOD, Y.
POR, S.B. *see* THORNTON, S.C.
POZZILLI, P. *see* CAVALLO, M.G.
PRABHAKAR, B.S. *see* BEISEL, K.W.
PREESMAN, A.H., VAN DE WINKEL, J.G.J., MAGNUSSON, C.G.M., TOONSTRA, J., VAN DER PUTTE, S.C.J. & VAN VLOTEN, W.A. Cell-bound IgE and increased expression of Fcε-receptors on dendritic cells in cutaneous infiltrates of mycosis fungoides, 246
PRUIJN, G.J.M. *see* SLOBBE, R.L.
PUSEY, C.D. *see* DERRY, C.H.

RABE, K.F. *see* SHOCK, A.
RAMPTON, D.S. *see* MCCARTHY, D.A.
RATH, R.N. *see* MITRA, S.
RAVINDRAN, B. *see* MITRA, S.
RAWIEL, M. *see* BATSFORD, S.R.
REES, A.J. *see* DERRY, C.A.
REESE, M.J. *see* THURMOND, L.M.
REINHOLD, U., KUKEL, S., GOEDEN, B., NEUMANN, U. & KREYSEL, H.W. Functional characterization of skin-infiltrating lymphocytes in atopic dermatitis, 444
RESCH, K. *see* FLOEGE, J.
REYNOLDS, S.P., EDWARDS, J.H., JONES, K.P. & DAVIES, B.H. Immunoglobulin and antibody levels in bronchoalveolar lavage fliud from symptomatic and asymptomatic pigeon breeders, 278
RICCIATTI, A.M. *see* GABRIELLI, A.
RICHARDS, N. *see* GORDON, C.
RICHARDS, S.J. *see* SCOTT, C.S.
RICHARDSON, K. *see* GORDON, C.
RICHTER, M. *see* THORNTON, S.C.
RIEGER, C.H.L. *see* SCHAUER, U.
RIETHMÜLLER, G. *see* FEUCHT, H.E.
ROCKETT, E.J. *see* WHEELER, H.R.
ROGNUM, T.O. *see* THRANE, P.S.
ROLDÁN, A. *see* RONDINONE, C.M.
RONDINONE, C.M., SCHILLACI, R., CASTILLO, M.B. & ROLDÁN, A. Inhibitory effect of 11β-hydroxypregna-1,4-diene-3,20-dione (ΔHOP) on lymphocyte proliferation, 311
ROSE, N.R. *see* NEUMANN, D.A.
ROTH, A.D., HORNICEK, F.J., GERSTNER, C.G. & KIRKWOOD, J.M. Effects of interferon-gamma and tumour necrosis factor-alpha on the development of cytotoxic T lymphocytes in autologous mixed lymphocyte tumour cultures with human melanoma, 163
ROWLEY, M.J. *see* SAVIGE, J.A.

SAITO, K., TANAKA, Y., OTA, T., ETO, S. & YAMASHITA, U. Suppressive effect of hyperbaric oxygenation on immune responses of normal and autoimmune mice, 322
SAITO, M. *see* SEINO, H.
SALVADORI, S., PIZZIMENTI, A., COHEN, S. & ZIER, K.S. The control of class II expression on T cells is independent of the regulation of Tac and the induction of proliferation, 544
SARTHOU, L. *see* LAUNOIS, P.
SASAMOTO, Y. *see* HIROSE, S.
SASANO, M. *see* GOTO, M.
SATOH, J. *see* SEINO, H.
SAVIGE, J.A., GALLICCHIO, M.C., STOCKMAN, A., CUNNINGHAM, T.J., ROWLEY, M.J., GEORGIOU, T. & DAVIES, D. Anti-neutrophil cytoplasm antibodies in rheumatoid arthritis, 92
SCHAUER, U., DIPPEL, E., GIELER, U., BRÄUER, J., JUNG, T., HEYMANNS, J. & RIEGER, C.H.L. T cell receptor γδ bearing cells are decreased in the peripheral blood of patients with atopic diseases, 440
SCHILLACI, R. *see* RONDINONE, C.M.
SCHMIEDEKE, T.M. *see* BATSFORD, S.R.
SCHREIBER, R. *see* FERRAN, C.
SCOTT, C.S., RICHARDS, S.J., COLE, J.C. & GOOI, H.C. Variant CD45R expression with autosomal dominant inheritance affects both helper/inducer ($CD4^+$) and suppressor/cytotoxic ($CD8^+$) T cell populations, 500
SEINO, H., SATOH, J., SHINTANI, S., TAKAHASHI, K., ZHU, X.P., MASUDA, T., NOBUNAGA, T., SAITO, M., TERANO, Y. & TOYOTA, T. Inhibition of autoimmune diabetes in NOD mice with serum from streptococcal preparation (OK-432)-injected mice, 413
SERJEANTSON, S.W. *see* JAZWINSKA, E.C.
SHAKOOR, Z. *see* GANT, V.A.
SHEEHAN, K. *see* FERRAN, C.
SHELLEY, L. *see* THORNTON, S.C.
SHINTANI, S. *see* SEINO, H.
SHOCK, A., RABE, K.F., DENT, G., CHAMBERS, R.C., GRAY, A.J., CHUNG, K.F., BARNES, P.J. & LAURENT, G.J. Eosinophils adhere to and stimulate replication of lung fibroblasts '*in vitro*', 185
SINGH, R.R. *see* TANEJA, V.
SKIBINSKI, G. *see* KELLY, R.W.
SKURNIK, M. *see* LAHESMAA, R.
SLOBBE, R.L., PRUIJN, G.J.M., DAMEN, W.G.M., VAN DER KEMP, J.W.C.M. & VAN VENROOIJ, W.J. Detection and occurrence of the 60- and 52-kD Ro(SS-A) antigens and of autoantibodies against these proteins, 99
SMITH, J.L. *see* HOWELL, W.M.
SO, A.K. *see* LUNARDI, C.
SOGA, T. *see* NOMURA, S.
SPADY, D.W. *see* HOOTON, J.W.L.
SPICKETT, G.P. *see* NORTH, M.E.
SRINIVASAPPA, J. *see* BEISEL, K.W.
STAD, R.-K. *see* BOGERS, W.M.J.M.
STASKAWICZ, M.O. *see* FISHWILD, D.M.
STEVENSON, F.K. *see* LING, N.R.
STOCKMAN, A. *see* SAVIGE, J.A.
STRASSMANN, G., BERTOLINI, D.R. & EIDELMAN, O. Inhibition of immune reactions *in vivo* by liposome associated transforming growth factor (TGF) type β1, 532
STÜNKEL, K.G.E., HEWLETT, G. & ZEILER, H.J. Ciprofloxacin enhances T cell function by modulating interleukin activities, 525
SUZUKI, M. *see* NOMURA, S.

TAGUCHI, O. *see* ICHIKAWA, T.
TAKAHASHI, K. *see* SEINO, H.
TAKAHASHI, T. *see* ICHIKAWA, T.
TAKEUCHI, M. *see* ICHIKAWA, T.
TANAKA, T. *see* ICHIKAWA, T.
TANAKA, Y. *see* SAITO, K.
TANDON, N., FREEMAN, M. & WEETMAN, A.P. T cell responses to synthetic thyroid peroxidase peptides in autoimmune thyroid disease, 56
TANEJA, V., MEHRA, N.K., SINGH, R.R., ANAND, C. & MALAVIYA, A.N. Occurrence of lymphocytotoxins in multi-case rheumatoid arthritis families: relations to HLA, 87
TERANO, Y. *see* SEINO, H.
THORNTON, S.C., POR, S.B., PENNY, R., RICHTER, M., SHELLEY, L. & BREIT, S.N. Identification of the major fibroblast growth factors released spontaneously in inflammatory arthritis as platelet derived growth factor and tumour necrosis factor-alpha, 79
THORPE, R. *see* CAVALLO, M.G.
THRANE, P.S., ROGNUM, T.O. & BRANDTZAEG, P. Ontogenesis of the secretory immune system and innate defence factors in human parotid glands, 342
THURMOND, L.M. & REESE, M.J. Immunochemical characterization of human antibodies to lymphoblastoid interferon, 514
TILG, H. *see* AULITZKY, W.E.
TOIVANEN, P. *see* LAHESMAA, R.
TOONSTRA, J. *see* PREESMAN, A.H.
TOPLEY, N. *see* FLOEGE, J.
TOYOTA, T. *see* SEINO, H.
TRAYSTMAN, M.D. & BEISEL, K.W. Genetic control of Coxsackievirus B3-induced heart-specific autoantibodies associated with chronic myocarditis, 291
TREHARNE, J.D. *see* MABEY, D.C.W.
TSUBATA, T. *see* IWAI, K.
TSUJI, K. *see* FURUKAWA, S.

UETA, E. *see* YONEDA, K.
USUI, M. *see* ICHIKAWA, T.

VAARA, M. *see* LAHESMAA, R.
VALDEZ, J.C. & PERDIGÓN, G. Piroxicam, indomethacin and aspirin action on a murine fibrosarcoma. Effects on tumour-associated and peritoneal macrophages, 315
VAN DER KEMP, J.W.C.M. *see* SLOBBE, R.L.
VAN DER PUTTE, S.C.J. *see* PREESMAN, A.H.
VAN DE WINKEL, J.G.J. *see* PREESMAN, A.H.
VAN ERCK, M.G.M. *see* BAKKER, N.P.M.
VAN ES, L.A. *see* BOGERS, W.M.J.M.
VAN HOUWELINGEN, H. *see* VAN ROOD, Y.
VAN REGENMORTEL, M.H.V. *see* ATANASSOV, C.
VAN REGENMORTEL, M.H.V. *see* BARAKAT, S.
VAN ROOD, J. *see* VAN ROOD, Y.
VAN ROOD, Y., GOULMY, E., BLOKLAND, E., POOL, J., VAN ROOD, J. & VAN HOUWELINGEN, H. Month-related variability in immunological test results; implication for immunological follow-up studies, 349
VAN ROOIJEN, N. *see* BOGERS, W.M.J.M.
VAN VENROOIJ, W.J. *see* SLOBBE, R.L.
VAN VLOTEN, W.A. *see* PREESMAN, A.H.
VERBON, A., HARTSKEERL, R.A. & KOLK, A.H.J. Murine and human B cell epitope mapping of the *Mycobacterium tuberculosis* 10-kD heat shock protein using overlapping peptides, 6
VIAL, M.C. *see* DUBEY, C.
VIRCHOW, C. SR. *see* HANSEL, T.T.
VIRCHOW, J.-C. JR. *see* HANSEL, T.T.
VISALLI, N. *see* CAVALLO, M.G.
VISWALINGAM, N.D. *see* MABEY, D.C.W.
VOGT, A. *see* BATSFORD, S.R.

WADHWA, M. *see* CAVALLO, M.G.
WALKER, C. *see* HANSEL, T.T.
WALKER, J., JACKSON, H., BRANDON, M.R. & MEEUSEN, E. Lymphocyte subpopulations in pyogranulomas of caseous lymphadenitis, 13
WALPORT, M.J. *see* LUNARDI, C.
WARREN, C.J. *see* HOWELL, W.M.
WEBSTER, A.D.B. *see* NORTH, M.E.
WEETMAN, A.P. *see* TANDON, N.
WESTERMARK, G.T., NORLING, B. & WESTERMARK, P. Fibronectin and basement membrane components in renal amyloid deposits in patients with primary and secondary amyloidosis, 150
WESTERMARK, P. *see* WESTERMARK, G.T.
WESTHOFF, U. *see* AULITZKY, W.E.
WHEELER, H.R., ROCKETT, E.J., CLARK, I. & GECZY, C.L. Actinomycin D upregulates lipopolysaccharide induction of macrophage procoagulant expression and tumour necrosis factor-alpha production, 304
WIESLANDER, J. *see* GABRIELLI, A.
WILLIAMS, J.F. *see* ELKHALIFA, M.Y.
WILLIAMS, R. *see* ARIA, K.T. NOURI
WONG, R.W.S. *see* JONES, B.M.
WU, G. & MARLISS, E.B. Deficiency of purine nucleoside phosphorylase activity in thymocytes from the immunodeficient diabetic BB rat, 260
WU, H.-M. *see* FISHWILD, D.M.
WULFF, S.M. *see* NEUMANN, D.A.

YABUTA, K. *see* FURUKAWA, S.
YAMAGUCHI, K. *see* NOMURA, S.
YAMAGUCHI, N. *see* GOTO, M.
YAMAMOTO, T. *see* YONEDA, K.
YAMASHITA, U. *see* SAITO, K.
YANABU, M. *see* NOMURA, S.
YASUNAGA, K. *see* NOMURA, S.
YONEDA, K., UETA, E., YAMAMOTO, T. & OSAKI, T. Immunoregulatory effects of Sizofiran (SPG) on lymphocytes and polymorphonuclear leukocytes, 229
YOSHIDA, T. *see* ARIGA, T.
YU, R.K. *see* ARIGA, T.

ZANELLI, E. *see* HENRY, M.
ZEILER, H.J. *see* STÜNKEL, K.G.E.
ZHENG, R.Q.H. *see* CHU, C.Q.
ZHU, X.P. *see* SEINO, H.
ZIER, K.S. *see* SALVADORI, S.

Subject Index

2-D electrophoresis, 457
40-kD molecule, 179

AIDS, 550
Accessory cells, 494
Actinomycin D, 304
Activated T cells, 544
Activation, 489
Adenosine deaminase, 260
Adhesion molecule, 271
Adhesion, 185
Allergy, 440
Alpha cardiac myosin heavy chain, 49
Alveolar macrophage, 494
Alveolar macrophages, 173
Amyloid, 150
Anaphylactoid purpura, 134
Animal model, 124
Anti-DNA antibodies, 106
Anti-RNA antibody, 66
Anti-cardiolipin antibodies, 207
Anti-histone antibodies, 124
Anti-inflammatory drugs, 315
Anti-neutrophil cytoplasma antibodies, 92
Anti-nuclear antibodies, 92
Anti-thyroid antibodies, 478
Antibodies, 19, 278, 374, 426
Antigen 85, 286
Arthritis, 92
Asthma, 185, 271, 440
Atopic dermatitis, 440, 444
Autoantibodies, 99, 291, 483
Autoantibody, 66, 322
Autoantigen, 99
Autoimmune diabetes, 266
Autoimmune disease, 483
Autoimmune heart disease, 291
Autoimmunity, 49, 192, 291, 405, 457

β2-microglobulin, 252
B cell epitopes, 6
B cells, 118
B lymphocytes, 87
BALF, 278
BB rats, 260
Bacterial lipopolysaccharide, 304
Basement membranes, 150
Beta-2-microglobulin, 236
Bordetella pertussis, 419
Bronchogenic carcinoma, 173
Brown-Norway and Lewis rats, 118

cDNA, 49
CD23, 360, 537
CD45R, 500
$CD5^+$ B cells, 212
CD5, 506
CD7, 506
CLL, 360
Cartilage/pannus junction, 380
Caseous lymphadenitis, 13
Cationic proteins, 471
Cell mediated immunity, 37
Cell proliferation, 240
Cell surface, 374
Cerebral malaria, 19
Cerebrospinal fluid, 19
Charge interaction, 532
Chlamydial infection, 37
Chronic liver disease, 140
Ciprofloxacin, 525
Circannual variability, 349
Class II, 544
Clustering, 494
Collagen-induced arthritis, 219
Colostrum, 520
Common variable immunodeficiency, 252
Congenital syphilis, 43
Coxsackie virus B4, 49
Coxsackievirus B3, 405
Cytokines, 22, 157, 229, 433
Cytotoxicity, 22, 163

ΔHOP, 311
DNA binding protein, 374
Delayed-type hypersensitivity, 449

ELISA, 71
Endogenous TNF, 413
Endothelial cells, 328
Eosinophil, 271
Eosinophils, 185
Experimental autoimmune uveitis, 419
Experimental autoimmune uveoretinitis, 112

Fc receptors, 328
Fcε-receptors, 246
FcγRIIα, 199
Fibroblasts and synovial cells, 79
Fibroblasts, 185
Flow cytometry, 179, 271, 500
Follow-up studies, 349
Forssman glycolipid, 483
Fusion proteins, 478

Galαl-3Gal, 367
$\gamma\delta$ T cells, 13
Genetics, 500
Glial fibrillary acidic protein, 387
Glomerular basement membrane, 457, 471
Glomerulonephritis, 145
Glucocorticoids, 311
Glycoprotein B, 30
Goodpasture's syndrome, 457
Granuloma, 13
Grave's disease, 56, 483
Growth factors, 79

HBO, 322
HLA B27, 399
HLA antigens, 236
HLA, 87
HPV, 550
Hashimoto's disease, 483
Hashimoto's thyroiditis, 56
Heart eluate, 405
Heat shock protein, 6
Herpes simplex virus, 30
$HgCl_2$-induced autoimmunity, 118
Histone synthetic peptides, 124
Human antibodies, 514

IFN-γ production, 286
IL-1, 256, 311
IL-2 expression, 393
IL-2, 157, 219, 256
IL-4, 106, 256
IL-6, 145, 256
Idiotypes, 207
Idiotypic regulation, 192
IgA nephropathy, 212
IgA subclasses, 342
IgE regulation, 444
IgE, 118, 246
IgG Fcγ receptor II, 179
IgG, 328
Immune complex, 471
Immune response, 525
Immunity, 532
Immunoblotting, 71
Immunodiagnosis, 19
Immunoglobulin G subclasses, 514
Immunoglobulin light chain isotypes, 514
Immunoglobulins, 278
Immunohistochemical technique, 380
Immunohistology, 13
Immunology, 349
Immunosuppression, 433
Immunotherapy, 413, 506
Immunotoxicology, 266
Immunotoxin, 506
In situ hybridization, 393
In vivo cell activation, 537
Infectious mononucleosis, 134
Inflammatory arthritis, 393
Inflammatory bowel disease, 489
Inheritance, 500
Inhibition, 520, 532
Insulin-dependent diabetes, 256
Interferon-alpha, 514
Interferon-gamma, 163, 236, 256
Interleukin, 525
Interleukin-1, 334, 387
Interleukin-2, 266, 520
Interleukin-6, 334
Interphotoreceptor retinoid-binding, 112
Intravenous immunoglobulins (IVIg), 192
Islet cytotoxicity, 266

J chain, 342
Japanese encephalitis virus, 299

Kawasaki disease, 134
Kidney, 145
Kupffer cells, 328

LDH isoenzymes, 240
Lactoferrin, 342
Laminin, 367
Leprosy, 286, 426
Light meromyosin, 49
Liposome, 532
Liposomes, 328
Lupus mouse, 322
Lymphocyte responses, 433
Lymphocyte subpopulations *in situ*, 13
Lymphocyte subsets, 440
Lymphocyte, 240, 525
Lymphocytes, 163
Lymphocytotoxic antibodies, 87
Lymphopenia, 260
Lymphoproliferation, 286
Lymphocyte proliferation, 311
Lysozyme, 342

MCTD, 374
MHC class II molecule expression, 118
MHC, 87
Macrophage derived cytokine, 299
Macrophage, 304, 525
Macrophages, 315
Measles, 134
Melanoma, 163
Mesangial cell, 334
Mesangial hypercellularity, 145
Minimal-change nephrotic syndrome, 157
Mixed connective tissue diseases, 71
Molecular mimickry, 399
Monoclonal antibodies, 179
Monoclonal antibody, 537
Monocyte, 525
Mouse, 449
Mucosal immunity, 342
Mycobacteria, 426
Mycobacterium tuberculosis, 6
Mycosis fungoides, 246
Myocarditis, 405

NK cell cytotoxicity, 229
NOD mice, 413
NZB/WF1 mice, 106
Natural killer cells, 22
Neutrophil chemotactic factor, 299
Neutrophilia, 299
Nude mice, 112

O_2^- generation, 229
OK-432, 413
Onchocerciasis, 433
Ontogeny, 342
Oral cancer, 229
Oral mucosa, 449
Original antigenic sin, 426

PCR, 199
PDGF, 334
PEP scan, 6
Pathogenesis, 37
Phagocytosis, 311
Pigeon breeders, 278
Plaque-forming cells, 212
Plasmodium falciparum, 19, 22
Platelet aggregation, 179
Polymorphs, 489
Pre-immune repertoire, 106
Primary biliary cirrhosis, 140
Procoagulant, 304
Prostaglandin E, 550
Prostasomes, 550
Protein AA, 150
Purine nucleoside phosphorylase, 260

RT1, 419
Recurrent respiratory papillomatosis, 514
Renal allografts, 464
Replication, 185
Rhesus monkey, 219
Rheumatoid arthritis, 79, 212, 380, 387
Rheumatoid factor, 43
Ro (SS-A), 99

SLE, 66, 199, 203, 374
SV40, 387
Salivary glands, 342
Sarcoidosis, 173, 494
Scleroderma, 367
Secretions/excretions, 433
Secretory component, 342
Seminal plasma, 550

Sequence homologies, 478
Serotherapy, 537
Sizofiran, 229
Sjögren's syndrome, 99
Skin-infiltrating lymphocytes, 444
Smoing, 278
snRNP U1A, 71
Soluble CD4, 252
Soluble CD8, 140, 252
Soluble IL-2 receptor (CD25), 252
Soluble sCD4 and sCD8, 134
Spontaneous autoimmune disease, 112
Sputum, 271
Streptozotocin, 266
Supressor cell function, 140
Surface charge, 471
Synovial cell, 387
Synovial membrane, 380
Synthetic peptides, 71
Syphilis, 207
Systemic lupus erythematosus, 99, 207

T cell glycosylation, 30
T cell low-responsiveness, 219
T cell receptor, 203, 537
T cell responses, 56
T cells, 500
T lymphocytes, 520
T-regulation, 212
TGFβ, 532
TNF, 256
T$\gamma\delta$, 203
Thymus grafting, 112
Thymus, 260
Thyroglobulin, 61, 478
Thyroid autoantibody, 61
Thyroid peroxidase, 56, 61, 478
Transforming growth factor-β1, 380
Tuberculosis, 426
Tumour growth, 315
Tumour necrosis factor, 304, 334
Tumour necrosis factor-alpha, 163
Type 1 diabetes, 413

Urine, 145

Vascular complement deposits, 464
Vascular permeability factor, 157
Vasculitis, 92
Vasvular permeability, 157
Viral myocarditis, 291